


EYECONIC™

Calibrachoa hybrida



EYECONIC™ Orange



- Selected for eye type color pattern on large blooms
- Makes a showy basket and works well in combinations
- Flowers in a 10-hour day
- **Tested for pH sensitivity**
- Mature Height and Width is 12" X 14" (30cm x 36cm)

More varieties in the EYECONIC™ series:



EYECONIC™
Cherry Blossom Imp.



EYECONIC™
Pink



EYECONIC™
Strawberry



EYECONIC™
Apricot



EYECONIC™
Peach



EYECONIC™
Compact Sunset



EYECONIC™
Purple

For additional technical growing information:

EYECONIC™ [CLICK HERE](#)



EYECONIC™

Calibrachoa hybrida



PROPAGATION TIPS

- Stick on priority – Number 3 out of 4 categories



Flowering time

Spring / Summer
Flowering



Width

(12 - 14")
30 - 36 cm



Height

(12 - 14")
30 - 36 cm

Average Time	Temperature	Hormone	Fertilization	Fungicide
5 weeks	Weeks 1 - 2 70°-72° F (21° - 22°C)	Optional	Weeks 1-2 50 ppm N	Spray fungicide to control Botrytis and bacteria day of sticking
	Weeks 3 - 5 65° - 68° (18° - 20° C)		Weeks 3-5 100 to 150 ppm N	Day of sticking & Week 2



Irrigation specification - Remove from mist as soon as possible



Application of K-IBA can hasten rooting. Light in propagation for optimal growth and to hasten crop time. Daminozide at 1200 to 1500 ppm day of sticking. Daminozide plus Uniconazole-P tank mix week 3 to control stretch if needed.

Rooting	pH	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 1	5.2 / 5.8	0.80	72 / 74 F (22 / 23 C)	50 ppm N in mist			Day of sticking	
Week 2	5.2 to 5.8	.80 to .90	72 / 74 F (22 / 23 C)	50 ppm N in mist			Second fungicide app	
Week 3	5.2 to 5.8	.90 to 1.0	Cool to 68 / 70 F (20 / 21 C)	Feed 100 ppm to 150 ppm		Daminozide as needed		
Week 4	5.2 to 5.8	1.0 to 1.2	65 to 68 F (18 to 20 C)	Feed 100 ppm to 150 ppm		Daminozide as needed		
Week 5	5.2 to 5.8	1.0 to 1.2	65 to 68 F (18 to 20 C)	Feed 100 ppm to 150 ppm		Daminozide as needed		

For additional technical growing information:

EYECONIC™ [CLICK HERE](#)



EYECONIC™

Calibrachoa hybrida



FINISHING TIPS

- Pinch is optional
- Cool temperature finishing for best quality

Average Time (from liners)	Temperature	Pinch/ Daylength Modification	Fertilization	Plant Growth Regulator
7 to 8 wks	Average Day	No pinch necessary	100 - 150 ppm N	In liner and finish stages
(12 cm) 5" pot	65° - 68° (18° - 20° C)			
8 to 9 wks	65° - 68° (18° - 20° C)	No lighting necessary	Soil EC 1.0 - 1.2 pH 5.5 to 6.0	
(15 cm) 6 ½"				
8 to 9 wks				
(20 cm) 8"	3 plants per container			
8 to 9 wks				
(25 cm) 10"	3 plants per container			

Pests	Aphids	ACETAMIPRID, FLONICAMID, IMIDACLOPRID, DICHLORVOS
	Thrip	METHIOCARB, ACRINATHRIN, ABAMECTIN, DICHLORVOS, SPINOSAD
Diseases	Botrytis	CYPRODINIL+FLUDIOXONIL, IPRODIONE, POLYOXIN
	Pythium	PROPAMOCARB
	Phytophthora	PROPAMOCARB



- Additional Iron (Fe) or Manganese (Mn) may be required depending on water quality and alkalinity
- Scout for Thrip on regular basis

Finishing	pH	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 6 Transplant	5.6 to 6.0	1.0 to 1.2	65 to 68 F (18 to 20 C)	feed 100 to 150 ppm	Day Neutral	Daminozide as needed	Spray fungicide after transplant	
Week 6 to 12	5.6 to 6.0	1.0 to 1.2	65 to 68 f (18 to 20 C)	feed 100 to 150 ppm	Not Required	Paclobutrazol Drench at 1 to 2 ppm		Paclobutrazol 1 to 2 ppm drench when plants reach 85% of desired size

For additional technical growing information:

EYECONIC™ [CLICK HERE](#)



EYECONIC™

Calibrachoa hybrida



Konklin, 2022



Sawaya Waterford, 2022



Konklin, 2022



MYP, 2022



For additional technical growing information:

EYECONIC™ [CLICK HERE](#)



 **DANZIGER**
www.danzigeronline.com |   